

## Collaborator TurboHyperMAX 25 PAX

From :  
 Business Octane Solutions Pvt Ltd  
 JMD Megapolis, 5th Floor  
 Sector-48  
 Gurgaon 122018  
 Ph: 0124-39884088  
 Email: Delhisales@businessoctane.com  
 5-Sep-2026

| Sr. No.                                          | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Unit Selling Price | Qty | Gross Selling Price |
|--------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Active LED and Touch Display</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    |     |                     |
| 1                                                | PAN-126   | Panasocni 65" diagonal 4K UHD resolution, 400 nits Professional LCD/LED Display, 24x7 on time with swivel wall mount                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1,39,600           | 3   | 4,18,800            |
| 2                                                | OSE-110   | SITC of 136" (9'-11" x 5'-7") diagonal 1.5mm pixel pitch Full HD resolution Indoor Micro Active LED Display, aspect ratio 16:9 with advanced chip on board technology and intelligent image processing, Superior Impact, dust, moisture protection, Easy to clean and maintain, perfect for interactive/ touch applications with controller and Wall Mount kit. Mounting Structure/ Fabrication work charges would be extra as on actual.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 31,61,000          | 1   | 31,61,000           |
| 3                                                | BO-165    | BO 15.6" full HD ultra slim motorized type touch enabled LCD/LED monitor with adjustable angle of view from 90 to 150 degrees along with 1 no. "Show Me" button with orange color illumination and with antiglare screen.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 2,35,000           | 13  | 30,55,000           |
| <b>Professional Video Codecs</b>                 |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    |     |                     |
| 4                                                | VCO-306   | HP Compute System for Zoom Room / Microsoft Team Room System includes dual display output codec with HDMI ingestion for presentation sharing with 10.1" Touch screen controller, yearly subscription of Teams Rooms Pro would be in customer scope.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 7,18,000           | 1   | 7,18,000            |
| <b>Professional Altra CAMSWITCH</b>              |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    |     |                     |
| 5                                                | ACS-103   | <b>BO Altra CAMSWITCH-6000 - Broadcast Cut Automated Voice-Tracking Camera Swtiching with Streaming &amp; Recording Capability:</b><br>It is engineered specifically for large meeting or boardroom, auditorium environments, lecture theaters, and corporate performance halls, combining artificial intelligence (AI) auto-voice tracking with a unified network infrastructure, the system captures flawless multi-angle video of presentations, panel discussions, and keynotes, entire four-camera ecosystem can be managed by a single operator or run completely automated, drastically reducing production overhead while delivering broadcast-quality outputs for image magnification (IMAG), internal recording, and live streaming.<br>1. Six no. 2K FHD 20X Broadcasting quality with AI Tracking PTZ Camera<br>2. One no. 8 channel broadcast camera switcher along with streaming and recording capability.<br>3. One no. camera controller with joy stick<br>3. One no. Auto-Voice activated tracking swticher<br>4. Four nos. HDMI to USB 3.0 Capture Device (for VC application) Plug-n-Play HDMI-USB Capturing | 41,95,800          | 1   | 41,95,800           |
| <b>Professional PTZ Camera</b>                   |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    |     |                     |
| 6                                                | BO-166    | BO 3 in 1 full 4K PTZ camera with 12X Optical Zoom 70.9 degree FOV with 3 parallel HDMI, USB & LAN video outputs with RS232/TCP-IP ports                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1,78,000           | 3   | 5,34,000            |

| Sr. No.                                                      | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Unit Selling Price | Qty | Gross Selling Price |
|--------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Integrated Audio Conferencing System</b>     |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    |     |                     |
| 7                                                            | IAS-101EX | <b>AltraCLARITY® - 2000EX - Integrated Audio Conferencing System Suitable for room size 24'x60'</b><br>a). Get highest quality teleconferencing experience coupled with local voice lift of 5db to 12db (depends upon room size) which is truly as intimate and natural likely face to face for two large group of people in a video or audio call.<br>b). Two nos. 360 degree coverage ultra high sensitive conferencing tile microphone array.<br>c). One no. Multi-channel digital signal processor based digital accoustic echo cancellation with 4 mic/line inputs and 8 mic/line outputs, USB input and AEC in all channels.<br>d). USB Connectivity for Teams/Zoom/BYOD video calls.<br>e). One no. 4 channel and One no. 2 channel power amplification with 2 nos FOH & 6 Ceiling speakers for uniform distribution of Audio.<br>f). On-table mute and un-mute button capability.<br>g). Installation, Programming, Testing & Commesionning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <b>23,59,100</b>   | 1   | 23,59,100           |
| <b>Professional Control, Switching and Automation System</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                    |     |                     |
| 8                                                            | IAS-103   | <b>BO Video &amp; Local Collaborations Enhancer &amp; Simplifier Solution AltraWorkdriverVC™ 1600 including</b><br>a) Professional 4K UHD resolution Modular chassis based 16x16 HDMI 2.0 with Audio fast & Seamless HDCP compliant matrix switcher for all meeting modes for switching & distributing video and content.<br>b). Whiteboarding & Anotation capability in local as well as in video call on table touch monitors subject to cloud platform supporting the same<br>c) BYOD capability in one cable management system for room camera, displays & audio system for BYOD VC application, also with presentation sharing thorough HDMI capability.<br>d). BO MypcXPLAIN™ capability via inbuilt LED buttons with blue color illumination for fast & seamless presentation show & switch system during Lcoal or Video Meeting.<br>e). Dual Presentations Share & Compare capability to show either same source/laptop on both front displays or two separate sources/images on front displays.<br>f) 10.2" Wi-Fi touch screen with BOSPL SimpliUSE™ GUI for the easy control of various video & Local meeting modes along with detachable wall/table docking station (for wireless touch panel).<br>g) BO remoteless local site whiteboard explanation system - TeleXPLAIN™ for explaining from ordinary cermaic whiteboard during Video and Loca Meeting.<br>h) BO remoteless document show & switch system - PaperXPLAIN™ will be provisioned for sharing documents/objects during Lcoal or Video Meeting.<br>i) One button touch individual participants Zoom in view system "Show Me" for all the participants in video meetings<br>j) Distribution amplifier, USB Hub, USB Switcher, HDMI to USB Convertors, HDMI transmitter and receiver's<br>k) Ethernet type central control processor with more I/o, serial ports.<br>j) Hi-Power relays for rack, lights & power control capability, along with 10A power conditioner with surge protection.<br>l) Four Button meeting mode selector & lighting control system.<br>m) Eight port wired and One access point network capability for controlling and operate to all AV devices.<br>n) Installation, Programming, Testing & Commesionning | <b>32,89,900</b>   | 1   | 32,89,900           |

| Sr. No.                                                                 | Part Code | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit Selling Price | Qty | Gross Selling Price |
|-------------------------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Cable Management System</b>                             |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 9                                                                       | BO-172    | BO Cable management solution matching with touch content monitors in Silver color with 2 nos 10 Amp Universal power sockets, 2 nos. USB sockets for charging tablets/phones, 6 pass through holes with grommets for routing any kind of AV cables such as HDMI, USB-C, Ethernet etc. along with 3 nos. buttons with blue color illumination.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 44,300             | 11  | 4,87,300            |
| <b>Professional Smart Podium, Lectern and Pro Video Display Manager</b> |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| Optional                                                                | OSS-120   | <b>OSEL Motorised Height Adjustable AV Podium for Boardroom &amp; Large Conference Room</b><br><b>-Electric Height &amp; Tilt Adjustment:</b> Effortlessly control the desk height (200mm range) and screen angle (25 degree range) with electric controls, ensuring optimal comfort for any instructor.<br><b>-Secure &amp; Customizable Setup:</b> Features integrated ground-fixing devices for maximum stability, alongside a backlit logo panel for institutional branding.<br><b>-Expanded AV Integration:</b> Ready to be equipped with a full suite of AV accessories including a central control                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 11,04,000          | 0   | -                   |
| <b>Professional VC Lighting</b>                                         |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 10                                                                      | BO-161    | Telepresence Light Fixture: Providing and fixing of special 2' x 2' VC fixture complete with LED lamps of 4000k. Fixture having special parabolic curved reflector in matt finish to throw indirect light at 45 degree angle so that light falls on the faces of the participants for bright faces without any glare in video meeting.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 35,000             | 13  | 4,55,000            |
| <b>Professional Digital Name Tag</b>                                    |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| Optional                                                                | PAN-132   | Panasonic Digital identification systems have transitioned from traditional paper inserts to advanced electronic labels that utilize high-contrast e-paper technology. These smart placards function without internal physical wiring for data, instead relying on wireless frequencies like 2.4 GHz RF or Bluetooth to receive real-time updates from a central server. This wireless architecture allows for sustainable, battery-powered operation that can last for several years, as energy is only consumed during a display change.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 41,400             | 0   | -                   |
| <b>Professional Display Manager</b>                                     |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 11                                                                      | PVM-111   | <b>BOSPL ProVideoMANAGER for 3 nos of 65" Displays</b><br>Elegant, monolithic structure which is built with modular design with heavy duty square aluminum sections to give high rigidity and is clad with MDF & customer approved PVC Veneer shade from given choices to give one of its kind beautiful free standing structure that houses three displays of 65", multiple cameras, speakers and cables.<br>a)The unique design also allows mounting of the video cameras at perfect height for lowest parallax error to give highest possible eye contact to the far site participants. This also allows you to standardize high quality eye contact across your organization.<br>b)Further it hides all the backs & sides of all displays, cameras, speakers & cables to give an absolute clean front as well as a clean back for high aesthetic appeal.<br>c)This also gives it the capability to be mounted against glass partitions and windows while complimenting aesthetics, giving you immense flexibility in the conference room design.<br>d)Provision of opening upper & lower flaps ensures easy maintenance. | 7,48,000           | 1   | 7,48,000            |

| Sr. No.                                                                            | Part Code                                                                                            | Equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Unit Selling Price | Qty | Gross Selling Price |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------|
| <b>Professional Video Collaboration Table</b>                                      |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 12                                                                                 | BO-110                                                                                               | <b>BOSPL ProCollabSTATION - 25 Seater</b><br>a). This Professional Collaboration station in "Rounded Trapezoid"/"Horse Shoe" shape is optimized for showing more of people & less of table top, built with BO proprietary stainless-steel legs which have special capability of holding three HDF tops encased with customer selected PVC veneer, as against normal one top only. This also allows easy reveineering of the top in future.<br>b). Coupled with modesty panels till floor without any visible screws they provide housing for all wires raceways, AV equipments & equipment racks. This eliminates the need for raceways, conduits in the floor and separated rack space for the first time.<br>c). Further the collaboration platform hides all the connecting cables of various equipment embedded on the top such as cable boxes, content monitors, microphones, speaker phones etc.<br>d). It is also provided with telescopic rack for both front & rear rack access both from the front.<br>e). ProCollabStation also has defined & matched space for all equipment's for high aesthetics. Also has marked seating lines.<br>f). ProCollabStation also provides improved view to far site participants.<br>g). Gives your collaboration in a box capability with complete future flexibility as the entire station ca be assembled over a weekend, dismantled, packed & moved to another location.<br>h). The tapering design at the end adds a WOW feeling in your conference rooms.(Is Ideal for Collaborator PowerHUB RT 13 / HS 13) | 12,65,000          | 1   | 12,65,000           |
| <b>Professional Cable and Connectors</b>                                           |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 13                                                                                 | CAB-101                                                                                              | A set of HDMI, USB, Audio, LAN, Speaker, Control and ethernet cables and connectors                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    | 1   | 10,34,400           |
| <b>Freight, Transit &amp; Site Insurance, Testing &amp; Commisssioning Charges</b> |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     |                     |
| 14                                                                                 | FRE-101                                                                                              | Freight, Transit and Site Insurance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                    | 1   | 6,51,700            |
| 15                                                                                 | INS-101                                                                                              | Implementation-Installation, Programming, Testing, Commisssioning, Training & as build drawing Charges                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                    | 1   | 21,72,200           |
| <b>Total</b>                                                                       |                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     | <b>2,45,45,200</b>  |
| 1                                                                                  | <b>Collaborator TurboHYPERMAX - CAPEX Price for India (In INR)</b>                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     | <b>₹2,45,45,200</b> |
| 2                                                                                  | <b>Collaborator TurboHYPERMAX - CAPEX Price for Outside India (In US Dollar)</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     | <b>\$6,13,630</b>   |
| 3                                                                                  | <b>Collaborator TurboHYPERMAX - CLASS Service Charges per month for India (In INR)</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     | <b>₹8,52,209</b>    |
| 4                                                                                  | <b>Collaborator TurboHYPERMAX - CLASS Service Charges per month for outside India (In US Dollar)</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                    |     | <b>\$25,566</b>     |

**Note:** GST: Above given price exclusive of GST, GST extra as applicable.

Payment:

a).100% Advance along with commercial clear purchase order.

b). Implementation-Payment against Installation

**Delivery:** 4-6 weeks from the date of commercial clear P.O.